SECRET Approved For Release 2003/01/28 : CIA-RDP78B04560A003400010013-7

NPIC/R-1236/64 June 1964

PHOTOGRAPHIC INTERPRETATION REPORT

MISSION COVERAGE INDEX MISSIONS 1043, 1044, & 1046

5 JUNE 1964








Declass Review by NIMA/DOD

NATIONAL PHOTOGRAPHIC INTERPRETATION CENTER



SECRET

Approved For Release 2003/01/28: CIA-RDP78B04560A003400010013-7

Approved For Release 2003/01/28 : CIA-RDP78B04560A003400010013-7



WARNING

This document contains information affecting the national defense of the United States, within the meaning of Title 18, sections 793 and 794, of the U.S. Code, as amended. Its transmission or revelation of its contents to or receipt by an unauthorized person is prohibited by law.

SECRET

Approved For Release 2003/01/28: CIA-RDP78B04560A003400010013-7

NPIC/R-1236/64

PREFACE

25X1

THIS MISSION COVERAGE INDEX (MCI) LISTS THE INTELLIGENCE TARGETS IMAGED ON THE PHOTOGRAPHY OF MISSIONS 1043,1044 AND 1046 DATED 5 JUNE 64 COVERING LAOS AND SOUTH VIETNAM. NO TARGETS WERE OBSERVED ON MISSION 1004.

TARGETS ARE ARRANGED 1) BY COUNTRY, 2) WITHIN THE COUNTRY ACCORDING TO SUBJECT, 3) WITHIN THE SUBJECT BY WAC AREA, AND 4) WITHIN THE WAC AREA BY GEOGRAPHIC COORDINATES IN ASCENDING ORDER. AN EXPLANATION OF COLUMN HEADINGS AND PHOTO REFERENCES USED IN PRESENTING THE INFORMATION IS CONTAINED IN THE APPENDIX. THE MAP BASE USED (WHEN AVAILABLE) FOR THE DERIVATION OF COORDINATES IN THIS MCI IS THE LATEST EDITION OF THE AMS SERIES L509, SCALE 1.250,000.

THE USER OF THIS MCI IS CAUTIONED THAT THE SCAN OF PHOTOGRAPHY WAS ACCOMPLISHED IN A RELATIVELY SHORT TIME AND OFTEN WITHOUT THE AID OF PRECISE ANALYTICAL AND MENSURAL TECHNIQUES COMMONLY EMPLOYED IN DETAILED PHOTOGRAPHIC ANALYSIS. CONSEQUENTLY, ALTHOUGH THE INFORMATION PRESENTED HEREIN IS ESSENTIALLY ACCURATE, ADDITIONAL, DETAILED ANALYSIS MAY SOMEWHAT ALTER PORTIONS OF THE INFORMATION.

SECRET

25X1

25X1

Approved For Release 2003/01/28 : CIA-RDP78B04560A003400010013-7

NPIC/R-1236/64

Target Numbers

Target		Coordinates		BE	NPIC
-LAOS- MILITARY INSTALLATIONS			1.7		. 1 2 2 2 2
BAN KHA DAP, PROBABLE MILITARY CAMP EAST OF THE SE KI TOM (RIVER) BRIDGE AT UTM XD617381. RECTANGULAR STRONGPOINT SURROUNDED BY TRENCHES CONTAINS APPROXIMATELY 45 SMALL SHEDS OR HUTS.	1637N	10630E	Ø617		411
BAN HAT SATI AREA, STRONGPOINT APPROXIMATELY 1.8 NM WSW OF BAN HAT SATI. CIRCULAR STRONGPOINT ON BOTH SIDES OF ROUTE 16 COMPRISES APPROXIMATELY 20 SMALL BUILDINGS ENCLOSED BY A TRENCH SYSTEM.	1453N	1Ø648E	Ø738		1Ø1-H
-SOUTH VIETNAM-					
MILITARY INSTALLATIONS LAO BAO AREA, MILITARY CAMP ONE NM NE OF LAO BAO ON NORTH SIDE OF ROUTE 9 AT SOUTH VIETNAM/LAOTIAN BORDER AT UTM XD673389. DOUBLE FENCE SECURED TRIANGULAR CAMP CONTAINS 5 BARRACKS, ONE ADMINISTRATION/STORAGE BUILDING, ONE REVETTED PROBABLE EXPLOSIVES	1637N	1Ø636E	Ø617		272

SECRET

25X1

Approved For Release 2003/01/28 : CIA-RDP78B04560A003400010013-7

NPIC/R-1236/64

Target			Coordinates	WAC	Target Numbers			
rurget			Coordinates		WAL	BE	NPIC	
STORAGE BUILDING, 3 REVETMENTS INSIDE A TRIANGULAR TRENCH SYSTEM, AND 3 AW POSITIONS DUTSIDE TRENCH SYSTEM.						W.		
±*		* 17			1911			·
					×		4 2	
wat " " "		4 427			•			
								4 7
		1 0		f				
						1 THE		5 - 125 5 - 125 5

SECRET

NPIC/R-1236/64

APPENDIX

COLUMN HEADINGS

City, Installation--This column contains the name of the city or town nearest the installation, followed by the name of the installation. If the name of the installation is not known, it is titled according to its function. Where appropriate, the city and installation names are followed by a capsule description.

<u>Coordinates</u>--Coordinates are referenced to the SW corner of the minute square. When the subject installation covers a wide area, coordinates are given for the approximate center of the installation.

<u>WAC</u>--This column provides the World Aeronautical Chart number for that area in which the subject installation is situated.

Installation Numbers--This column is divided into two subcolumns. The first subcolumn lists, when known, the BE installation number assigned to the installation. The second subcolumn lists the installation number assigned by NPIC. Installation numbers, when used to reference an item, should be prefixed by the appropriate WAC number, since installation numbers are repeated from WAC to

WAC. For example, there is an NPIC target number 0499-15-A and an NPIC target number 0498-15-A. In each instance, the NPIC installation number is 15-A, but the installations appear on different WAC charts.

COMOR TARGET NUMBERS

Target numbers assigned by the Committee on Overhead Reconnaissance (COMOR), when available, are listed directly above the photo reference data.

PHOTO REFERENCE DATA

The photo reference data indicates the frame(s) on which the installation appears. $\label{eq:condition}$

CONDITIONS AFFECTING PHOTOGRAPHY

Following the photo reference data, symbols indicate conditions which affect the appearance of the installation on the photography. The symbols are: C (clear); SC (scattered clouds); HC (heavy clouds); SC-HC (scattered-to-heavy clouds); H (haze); CS (cloud shadow); SD (semi-darkness); O (obliquity); and PQ (poor image quality).

SECRET

Approved For Release 2003/01/28 : CIA-RDP78B04560A003400010013-7

SECRET